



# Elmico

Built to last....



Product  
**CATALOGUE**

## ROUTER MACHINE



## TRIMMER MACHINE




Power Input	575 W
No-Load Speed	30000 rpm
Tool Holder	8/6.35 mm

## PLUNGE TYPE ROUTER



Round Molding Operation



Straight & Round Rebating Operation



Copying Operation



Carbides, Threading Tools, Engraving Tools



Power Input	1050 W
No-Load Speed	22000 rpm
Tool Holder	8 mm



Power Input	1300 W
No-Load Speed	22000 rpm
Tool Holder	8/12 mm



# ELECTRIC BLOWER



## DOUBLE PIPE BLOWER



Power Input	420 W
No-Load Speed	15000 rpm
Voltage	230 V
Air Speed	2.8m³/min

## HEAVY DUTY BLOWER



Power Input	365 W
No-Load Speed	15500 rpm
Voltage	230 V
Air Speed	2.5m³/min

## VARIABLE SPEED BLOWER



Power Input	420 W
No-Load Speed	15000 rpm
Voltage	230 V
Air Speed	2.8m³/min

## HEAVY DUTY BLOWER VARIABLE SPEED



Power Input	365 W
No-Load Speed	15500 rpm
Voltage	230 V
Air Speed	2.5m³/min

## VACUUM-CUM BLOWER



Power Input	420 W
No-Load Speed	14000 rpm
Voltage	230 V
Air Speed	2.8m³/min

## HEAVY DUTY VACCUMBLOWER



Power Input	365 W
No-Load Speed	15500 rpm
Voltage	230 V
Air Speed	2.5m³/min

## ELECTRIC BLOWER



### MULTI-SPRAYER BLOWER



Power Input	365 W
No-Load Speed	15500 rpm
Voltage	230 V
Air Speed	2.5m <sup>3</sup> /min



Power Input	420 W
No-Load Speed	14000 rpm
Voltage	230 V
Air Speed	2.8m <sup>3</sup> /min

### INDUSTRIAL BLOWER



Power Input	460 W
No-Load Speed	16000 rpm
Voltage	230 V
Air Speed	2.3m <sup>3</sup> /min
Running Time	1 Hr approx.

### HEAT GUN



Power Input	1200 W
Voltage	230 V
Frequency	50 Hz

### HI-SPEED GRINDER



Power Input	570 W
No-Load Speed	25000 rpm
Voltage	220 V
Frequency	50 Mz

# DRILL MACHINE



Power Input	550 W
No-Load Speed	1250 rpm
Voltage	230 V
Drilling Capacity	13mm



Power Input	550 W
No-Load Speed	2700 rpm
Voltage	230 V
Drilling Capacity	13mm



Reverse Forward  
with Variable Speed

Power Input	550 W
No-Load Speed	1250 rpm
Voltage	230 V
Drilling Capacity	13mm



Reverse Forward  
with Variable Speed

Power Input	550 W
No-Load Speed	2700 rpm
Voltage	230 V
Drilling Capacity	13mm



Power Input	350 W
No-Load Speed	2700 rpm
Voltage	230 V



Reverse Forward

Power Input	550 W
No-Load Speed	2700 rpm
Voltage	230 V




# ACCESSORIES



CM-4SA



CM-4SB



DU-10 ARMATURE & FIELD COIL




DRILL MACHINE



REV-FWD DRILL MACHINE




ROUTER (52mm) ARMATURE & FIELD COIL ( For ELMICO Router)



G15SA2 GRINDER



ROUTER (48mm) ARMATURE & FIELD COIL



CHINA TYPE BLOWER BODY KIT



CM-4 SB ARMATURE & FIELD COIL



EB-4 BLOWER BODY KIT



CM-4SA ARMATURE & FIELD COIL



EB-8 BLOWER BODY KIT



BLOWER ARMATURE & FIELD COIL

# ACCESSORIES



EID HEAD



DU-10 HEAD



5" VELCRO PAD (M-10, M-12, M-14)



CABLE WIRE (1mm & 1.5mm)



3 PCS VELCRO SHOE SET



4" VELCRO PAD M-12




PVC PAD ( 4" & 5")



SPLASH GUARD




SHOE



SWITCH



SPRAY NOZZLE



JICSAW





## Manufacturing Unit

GT Road, Dhandhari Kalan, Ludhiana-141014  
Punjab (INDIA)

